
### Bemy guest® STEP INTO A QUIET RETREAT



# A phone booth that meets all the needs of today's workplace — **a quiet retreat** to focus or talk in private.

Be my guest® helps maximise productivity, frees up meeting room space, is quick and simple to assemble and easy to move around.

Our most competitively priced phone booth, Be my guest® showcases the quality and attention to detail that Orangebox is renowned for, carefully balancing considered design with ease of assembly and cost.




Form and function have been distilled to its essence – resulting in **elegant simplicity** and optimal performance.













### Your quiet retreat in a busy workplace.


Be my guest® is a quiet retreat where you can confidently talk in private without distracting others or being disturbed. The perfect space for private phone calls, online meetings or a sanctuary for focussed work.

The acoustic felt and laminated glass door, fitted with magnetic seals, absorb sound inside the phone booth while at the same time blocking out external noise.

Be my guest® is designed to be quick and simple to assemble. All you need is:

1 tool2 people30 minutes






#### Easy to move.

If you want to reconfigure your existing workspace, integrated castors make the phone booth easy to move. Simply wind up the feet to engage the castors to move your phone booth, and wind down to secure it when in position.

The phone booth is just as easy to disassemble if you decide to relocate in the future.







### Mix and match. Make it your own.

With multiple colours and finishes, the choice of solid natural oak or stained black door handles, and the option of a D-shaped or L-shaped worksurface; Be my guest® can be configured to complement your workplace as a design feature.

Add our signature designed 'kink' for extra privacy and character, match it or contrast it with the side walls and worksurface.


### Customise your work surface.

The work surface comes in different colours and materials and can be installed at either seated height (74cm) or standing height (105cm).

It offers plenty of space for a laptop and has an integrated device holder. Options include a D-shaped work surface or a L-shaped work surface providing additional space for your belongings.








### Stay powered up and save energy.

Diffused lighting sets the perfect mood for video calls – the sensor activates as you enter the phone booth and saves energy by automatically switching off after use.

Stay powered up with USB-A and USB-C outlets, in addition to regional sockets.



#### Keep cool and collected.


The sensor activated smart ventilation system keeps you cool and refreshed at all times with approximately 40 air changes per hour. The quiet fans continuously move cool air in and draw hot air out when in use.

Be my guest® sets the benchmark for compliance with every part rigorously tested.

Designed and engineered to last, with a 5-year warranty (and 2-year electrical warranty).




















#### **Acoustics**

ISO 23351-1 accredited

Laminated acoustic glass

Full frame magnetic sealed door



#### Footprint

1m x 1m x 2.26m



#### Ventilation and air quality

Approx. 40 air changes/hour ANSI/BIFMA e3-2019 DIN EN 16516:2020-10 Formaldehyde 0.5



#### Mechanical

Door performance BS 6375-2

ANSI/BIFMA X5.5-2016(R2021)

ANSI/BIFMA X5.6-2016(R2021)

ANSI/BIFMA X5.9-2016(R2021)

BS EN 12600



#### **Electrical**

CB approved EN IEC 62368-1:2020/A11:2020

EN 61000-6-1:2019

EN 61000-6-3:2021

EN 61000-3-2:2019

EN 61000-3-3:2013+A1:2019

BS EN 63000:2018

Concealed LED light with anti-glare

Energy consumption 100mW

PIR sensor technology - auto activation



#### **Carbon footprint**

FSC accredited wood handles
PEFC accredited external cladding



#### Flammability

Wall construction to EN13501-1



#### Installation

Comes flat-packed
Easy installation: 1 tool, 2 people, 30 min.
Built in castors for relocation




## Mix and match colours and finishes





#### Back cladding




Back cladding comes in Melamine Merle as standard, but can be matched with any side cladding colours and finishes (see next page for options)

#### Door handle



Solid oak or stained black

#### Frame




Pearl Black

See next page for colours and finishes for side cladding, back cladding, kink and work surface.



#### Side cladding Melamine Crystal Grey Same colour edge-band Melamine Clear Oak Black edge-band \* Perfect Sense U775 White Grey Ply edge-band Perfect Sense U767 Cubiant Grey Ply edge-band Perfect Sense U999 Black Ply edge-band Perfect Sense U665 Green Stone Ply edge-band Plywood




#### Rear cladding Melamine Merle Black edge-band \* Melamine Crystal Grey Same colour edge-band \* Melamine Clear Oak Black edge-band \* Perfect Sense U775 White Grey Ply edge-band Perfect Sense U767 Cubiant Grey Ply edge-band Perfect Sense U999 Black Ply edge-band Perfect Sense U665 Green Stone Ply edge-band Plywood


#### Work surface Melamine Ply edge-band Perfect Sense U767 Cubiant Grey Ply edge-band \* Perfect Sense U999 Black Ply edge-band Perfect Sense U665 Stone Green Ply edge-band \* Plywood

#### Phonebooth dimensions


H2260 [H89] W1000 [W39]D1000 [D39]




**BMG-LH Phonebooth**No kink. Left-hand opening.




**BMG-RH Phonebooth**No kink. Right-hand opening.




**BMG-LH Phonebooth**With kink. Left hand opening.




**BMG-RH Phonebooth**With kink. Right-hand opening.




**Front view**Right-hand opening.




**Front view**Left-hand opening.




Rear view




**Side view** No kink.




**Side view** With kink.






Plan view
4 x ventilation fans.
Top: no kink
Bottom: with kink







Base view 4 x castors and legs. Top: no kink Bottom: with kink



D-shape worksurface



**L-shape worksurface** Left-hand opening.



**L-shape worksurface**Right-hand opening.

