

LateralFile

Specification



High-quality, hard-wearing design with a strong reputation for timeless aesthetic appeal, makes our LateralFile range the first choice amongst architects, designers and end users.

LateralFile enables an entire workspace to be specified in one range. It can meet the most challenging storage requirements, as well as subtly dividing spaces to create different working zones and break-out areas.

All products are customisable, offering a broad choice of finishing touches; a large selection of internal accessories, and a palette of over 34 colours allow for creativity and co-ordination.





Features

Hand-finished, hidden seams.

Sound dampening, double-skin doors with soft-close hinges.

Individually locking drawers for added security.

Range includes specialist products such as recycling and display units.

Wide range of internal accessories available.

Choice of locking options for personal storage.

Available in a comprehensive range of dimensions.

34 colours available as standard.

Stylish wood wrap options available.

Optional planter top.

Minimum ten-year guarantee.

Made in the UK.



Benefits

Comprehensive – A true systems storage solution, which can be tailored to fit all filing and personal storage requirements.

Secure – Lockable units for secure storage of office and personal items.

Colourful – Choose from an extensive palette of 34 colours, or specify a custom colour to reflect your brand.

Acoustics – Soft-close, double-skin doors with sound dampening capabilities to avoid noise distractions.

Specify – Choose from an extensive range of internal filing options to suit your specific needs.


Customisable – Choose wood wraps to create a unique look and coordinate with existing wooden elements.

Biophilia – Add optional planter toppers. Biophilia improves cognitive function and enhances mood and creativity

Range Overview


Drawers

Filing drawers for suspension, box and lever arch filing, with central or individual locking as standard.




Tambour units

Fully retracting shutter doors, ideal for use in challenging spaces and walkways as an alternative to drawers and cupboards.




Bookcase units

Bookcase units with 300mm deep shelves, ideal for displaying literature.




Recycling units

Discrete waste management, with three 50-litre recycling bins and hidden storage.



Two Door Cupboards

Durable two-door cupboards with soft close doors. Ideal for storing multiple types of media.




Combination units

Choose from a range of different closure options including flippers, drawers and cupboard doors.




Magazine units

Sloping shelves, ideal for displaying magazines and product literature, and a concealed shelf for storage.



Coat Cupboards


600mm extra deep coat cupboards available in multiple sizes with a coat rail, shelf, and either solid or ventilated doors.



Drawer units

W: 800mm (31.5") D: 470mm (18.5")


Product Code	Description	Height
08C20.2HQ	Two 305mm (12") drawers including file bars and counterbalance	693mm (27.3")
08C30.3HQ	Three 305mm (12") drawers including file bars and counterbalance	997mm (39.2")
08C40.4H	four 305mm (12") drawers including file bars	1301mm (51.2")



08C20.2HQ

W: 900mm (35.4") D: 470mm (18.5")


Product Code	Description	Height
09C20.2HQ	Two 305mm (12") drawers including file bars and counterbalance	693mm (27.3")
09C30.3HQ	Three 305mm (12") drawers including file bars and counterbalance	997mm (39.2")



09C20.2HQ

W: 1000mm (39.4") D: 470mm (18.5")

Product Code	Description	Height
10C20.2HQ	Two 305mm (12") drawers including file bars and counterbalance	693mm (27.3")
10C30.3HQ	Three 305mm (12") drawers including file bars and counterbalance	997mm (39.2")
10C40.4H	Four 305mm (12") drawers including file bars	1301mm (51.2")




10C20.2HQ

Two Door Cupboards

W: 800mm (31.5") D: 470mm (18.5")

08D20 H: 693mm (27.3")	08DD21* H: 718mm (28.3")	08D24 H: 845mm (33.3")	08D30 H: 997mm (39.2")	08D32 H: 1073mm (42.2")
08D34 H: 1149mm (45.2")	08D36 H: 1225mm (48.2")	08D40 H: 1301mm (51.2")	08D43 H: 1415mm (55.3")	08D48 H: 1605mm (63.2")
08D50 H: 1643mm (64.7")	08D54 H: 1795mm (70.7")	08D60 H: 1947mm (76.6")	08D61 H: 1985mm (78.1")	08D64 H: 2099mm (82.6")




08D36

*Height is adjustable up to 8mm (0.3") in total

W: 900mm (35.4") D: 470mm (18.5")


09D20 H: 693mm (27.3")	09D30 H: 997mm (39.2")	09D32 H: 1073mm (42.2")	09D34 H: 1149mm (45.2")	09D36 H: 1225mm (48.2")
09D60 H: 1947mm (76.6")	09D64 H: 2099mm (82.6")			



09D34










W: 1000mm (39.4") D: 470mm (18.5")




10D20 H: 693mm (27.3")	10D24 H: 845mm (33.3")	10D30 H: 997mm (39.2")	10D32 H: 1073mm (42.2")	10D34 H: 1149mm (45.2")
10D36 H: 1225mm (48.2")	10D40 H: 1301mm (51.2")	10D43 H: 1415mm (55.3")	10D48 H: 1605mm (63.2")	10D50 H: 1643mm (64.7")
10D54 H: 1795mm (70.7")	10D60 H: 1947mm (76.6")	10D61 H: 1985mm (78.1")	10D64 H: 2099mm (82.6")	



10D40

Cupboard Internal Options


Product Code	Description	Width	
IC08BSPS:T5	Basic shelf – 27.5mm (1.1”) thick	800mm (31.5”)	
IC09BSPS:T5	-	900mm (35.4”)	
IC10BSPS:T5	-	1000mm (39.4”)	
			IC08BSPS:T5
IC08BSUPS	Basic shelf with undershelf filing	800mm (31.5”)	
IC09BSUPS	-	900mm (35.4”)	
IC10BSUPS	-	1000mm (39.4”)	
			IC08BSUPS
IC08LRPS	Lateral rail	800mm (31.5”)	
IC09LRPS	-	900mm (35.4”)	
IC10LRPS	-	1000mm (39.4”)	
			IC08LRPS
IC08RFPS	Roll-out filing frame	800mm (31.5”)	
IC09RFPS	-	900mm (35.4”)	
IC10RFPS	-	1000mm (39.4”)	
			IC08RFPS
ICCRPS	Cross rails (pair) for front to back suspension	N/A	
IACB08PS	Counterbalance	800mm (31.5”)	
IACB09PS	-	900mm (35.4”)	
IACB10PS	-	1000mm (39.4”)	
			IACB08PS
IC08NBSPS*	Narrow basic shelf – 25mm (1”) thick	800mm (31.5”)	
IC09NBSPS*	-	900mm (35.4”)	
IC10NBSPS*	-	1000mm (39.4”)	
			IC08NBSPS
IC08CRPS	Shelf with coat rail front to back	800mm (31.5”)	
IC09CRPS	-	900mm (35.4”)	
IC10CRPS	-	1000mm (39.4”)	
CAPCHP4PS	Captive coat hangers (pack of 4)	N/A	IC08CRPS
IC08SSPDPS:T5	Slotted shelf – 27.5mm (1”) for plastic dividers	800mm (31.5”)	
IC09SSPDPS:T5	-	900mm (35.4”)	
IC10SSPDPS:T5	-	1000mm (39.4”)	
			IC08SSPDPS:T5
IC08SSUPDPS:T5	Slotted shelf with undershelf filing – 27.5mm (1”) for plastic dividers	800mm (31.5”)	
IC09SSUPDPS:T5	-	900mm (35.4”)	
IC10SSUPDPS:T5	-	1000mm (39.4”)	
			IC09SSUPDPS:T5

Product Code	Description	Width	
IC08NSSPDPS*	Narrow slotted shelf – 25mm (1”) for plastic dividers	800mm (31.5”)	
IC09NSSPDPS*	-	900mm (35.4”)	IC08NSSPDPS
IC10NSSPDPS*	-	1000mm (39.4”)	
SHDV64P5PS	Plastic shelf dividers (pack of 5)	N/A	MSDIV431P2
MSDIV431P2	Steel shelf dividers (clip on design) (pack of 2)	N/A	
PGNHLESET	Plastic pigeon hole set (includes dividers and intershelves - for use with slotted shelves only (slotted shelf not included)	N/A	PGNHLESET

*Please note: For use behind flipper only

Tambour Units

Single Doors


W: 800mm (31.5”) D: 470mm (18.5”) 

08T20.* H: 693mm (27.3”)	08DT21.*† H: 718mm (28.3”)	08T24.* H: 845mm (33.3”)	08T30.* H: 997mm (39.2”)	08T32.* H: 1073mm (42.2”)
08T34.* H: 1149mm (45.2”)	08T36.* H: 1225mm (48.2”)	08T40.* H: 1301mm (51.2”)	08T43.* H: 1415mm (55.3”)	

08T20.*


†Height is adjustable up to 8mm (0.3”) in total

Double Doors

W: 1000mm (39.4”) D: 470mm (18.5”) 

10T20.* H: 693mm (27.3”)	10T24.* H: 845mm (33.3”)	10T30.* H: 997mm (39.2”)	10T32.* H: 1073mm (42.2”)	10T34.* H: 1149mm (45.2”)
10T36.* H: 1225mm (48.2”)	10T40.* H: 1301mm (51.2”)	10T43.* H: 1415mm (55.3”)	10T50.* H: 1643mm (64.7”)	10T54.* H: 1795mm (70.7”)
10T60.* H: 1947mm (76.6”)	10T64.* H: 2099mm (82.6”)			

10T20.*








W: 1200mm (47.2”) D: 470mm (18.5”) 





12T20.* H: 693mm (27.3”)	12T24.* H: 845mm (33.3”)	12T30.* H: 997mm (39.2”)	12T34.* H: 1149mm (45.2”)	12T40.* H: 1315mm (51.8”)
12T50.* H: 1643mm (64.7”)	12T54.* H: 1795mm (70.7”)	12T60.* H: 1947mm (76.6”)	12T64.* H: 2099mm (82.6”)	

12T20.*

*Please refer to specification notes for shutter finishes.


Tambour Internal Options

Product Code	Description	Width	
IT08BSPS:T5	Basic shelf – 27.5mm (1.1”) thick	800mm (31.5”)	
IT10BSPS:T5		1000mm (39.4”)	
IT12BSPS:T5		1200mm (47.2”)	
			IT08BSPS:T5
IT08BSUPS	Basic shelf with undershelf filing	800mm (31.5”)	
IT10BSUPS		1000mm (39.4”)	
IT12BSUPS		1200mm (47.2”)	
			IT08BSUPS
IT08LRPS	Lateral rail	800mm (31.5”)	
IT10LRPS		1000mm (39.4”)	
IT12LRPS		1200mm (47.2”)	
			IT08LRPS
IT08RFPS	Roll-out filing frame	800mm (31.5”)	
IT10RFPS		1000mm (39.4”)	
IT12RFPS		1200mm (47.2”)	
			IT08RFPS
ITCRPS	Cross rails (pair) for front to back suspension	N/A	
ITCRPBPS	Piggy back cross rails (pair)	N/A	
IT08RSPS	Roll-out reference shelf (tambours only)		
IT10RSPS		800mm (31.5”)	
IT12RSPS		1000mm (39.4”) 1200mm (47.2”) (for IT12RSPS)	
			IT08RSPS
IT08RDPS	Roll-out 4” drawer		
IT10RDPS		800mm (31.5”) (for IT10RDPS)	
IT12RDPS		1000mm (35.4”) (for IT12RDPS)	
IAD4P3PS	Dividers for roll-out 4” drawer (pack of 3)	1200mm (47.2”) (for IAD4P3PS)	
IACB08PS	Counterbalance	800mm (31.5”) (for IACB08PS)	
IACB10PS		1000mm (39.4”) (for IACB10PS)	
IACB12PS		1200mm (47.2”) (for IACB12PS)	
			IT08RDPS
IT08NBSPS	Narrow basic shelf – 25mm (1”) thick	800mm (31.5”) (for IT08NBSPS)	
IT10NBSPS		1000mm (39.4”) (for IT10NBSPS)	
			IACB08PS
IT08CRPS	Shelf with coat rail front to back	800mm (31.5”) (for IT08CRPS)	
IT10CRPS		1000mm (39.4”) (for IT10CRPS)	
IT12CRPS		1200mm (47.2”) (for IT12CRPS)	
CAPCHP4PS	Captive coat hangers (pack of 4)	N/A (for CAPCHP4PS)	IT08CRPS


Product Code	Description	Width	
IT08SSPDPS:T5	Slotted shelf – 27.5mm (1”) for plastic dividers	800mm (31.5”)	 IT08SSPDPS:T5
IT10SSPDPS:T5	-	1000mm (39.4”)	
IT12SSPDPS:T5	-	1200mm (47.2”)	
IT08SSUPDPS:T5	Slotted shelf with undershelf filing – 27.5mm (1”) for plastic dividers	800mm (31.5”)	 IT08SSUPDPS:T5
IT10SSUPDPS:T5	-	1000mm (39.4”)	
IT12SSUPDPS:T5	-	1200mm (47.2”)	
SHDV64P5PS	Plastic shelf dividers (pack of 5)	N/A	 MSDIV431P2
MSDIV431P2	Steel shelf dividers (clip on design)	N/A	
PGNHLESET	Plastic pigeon hole set (includes dividers and intershelves - for use with slotted shelves only (slotted shelf not included))	N/A	 PGNHLESET

Wooden and Steel Shelves

D: 358mm (14.1”)

Product Code	Description	Width	
OBWS04	18mm (0.7”) MFC shelf compatible with 800mm wide x 400mm deep frames	367mm (14.5”)	 OBWS04
OBWS05	18mm (0.7”) MFC shelf compatible with 1000mm wide x 400mm deep frames	467mm (18.4”)	
OBSS04	15mm (0.6”) steel shelf compatible with 800mm wide x 400mm deep frames	367mm (14.5”)	
OBSS05	15mm (0.6”) steel shelf compatible with 1000mm wide x 400mm deep frames	467mm (18.4”)	
OBWS04S	18mm (0.7”) MFC shelf compatible with 400mm wide x 400mm deep single frames	358mm (14.1”)	
OBSS04S	15mm (0.6”) steel shelf compatible with 400mm wide x 400mm deep single frames	358mm (14.1”)	

Product Code	Description	Width
OLWS04	18mm (0.7") MFC shelf compatible with 800mm wide x 470mm deep frames	367mm (14.4")
OLWS05	18mm (0.7") MFC shelf compatible with 1000mm wide x 470mm deep frames	467mm (18.4")
OLSS04	15mm (0.6") steel shelf compatible with 800mm wide x 470mm deep frames	367mm (14.4")
OLSS05	15mm (0.6") steel shelf compatible with 1000mm wide x 470mm deep frames	467mm (18.4")




OLSS04

Combination Units

Most frequently specified

W: 800mm (31.5") D: 470mm (18.5")


Product Code	Description	Height
08C32B.2HQ	381mm (15") flipper, 2x 305mm (12") drawers inc file bars and counterbalance	1073mm (42.2")
08C34ET.2HQ	419.1mm (16.5") flipper, tie bar, two 305mm (12") drawers inc file bars and counterbalance	1149mm (45.2")
08C502CT.3H	Two 305mm (12") flippers, tie bar, three 305mm (12") drawers inc file bars	1643mm (64.7")
08C50WT.3H	609.6mm (24") doors, tie bar, three 305mm (12") drawers inc file bars	1643mm (64.7")
08C542BT.3H	Two 318mm (15") flippers, tie bar, three 305mm (12") drawers inc file bars	1795mm (70.7")



08C32B.2HQ

W: 1000mm (39.4") D: 470mm (18.5")


Product Code	Description	Height
10C32B.2HQ	381mm (15") flipper, two 305mm (12") drawers inc file bars and counterbalance	1073mm (42.2")
10C34L.3HQ	152.4mm (6") drawer, three 305mm (12") drawers inc file bars and counterbalance	1149mm (45.2")
10C34ET.2HQ	419.1mm (16.5") flipper, tie bar, two 305mm (12") drawers inc file bars and counterbalance	1149mm (45.2")



10C32B.2HQ

W: 1000mm (39.4") D: 470mm (18.5")

Product Code	Description	Height
10C502CT.3H	Two 305mm (12") flippers, tie bar, three 305mm (12") drawers inc file bars	1643mm (64.7")
10C50WT.3H	609.6mm (24") doors, tie bar, three 305mm (12") drawers inc file bars	1643mm (64.7")
10C542BT.3H	Two 381mm (15") flippers, tie bar, three 305mm (12") drawers inc file bars	1795mm (70.7")
10C54ST.3H	762mm (30") doors, tie bar, three 305mm (12") drawers inc file bars	1795mm (70.7")
10C60WT.4H	609.6mm (24") doors, tie bar, four 305mm (12") drawers inc file bars	1947mm (76.6")
10C60XT.3H	914.4mm (36") doors, tie bar, three 305mm (12") drawers inc file bars	1947mm (76.6")




10C542BT.3H

Design your own

W: 800mm (31.5") D: 470mm (18.5")

IH : Inside Height H: Height

08C20 IH: 610mm (24") H: 693mm (27.3")	08C24 IH: 762mm (30") H: 845mm (33.3")	08C30 IH: 914mm (36") H: 997mm (39.2")	08C32 IH: 990mm (39") H: 1073mm (42.2")	08C34 IH: 1066mm (42") H: 1149mm (45.2")
08C36 IH: 1142mm (45") H: 1225mm (48.2")	08C40 IH: 1218mm (48") H: 1301mm (51.2")	08C43 IH: 1332mm (52.5") H: 1415mm (55.7")	08C47 IH: 1484mm (58.5") H: 1567mm (61.7")	08C50 IH: 1560mm (61.5") H: 1634mm (64.7")
08C54 IH: 1712mm (67.5") H: 1795mm (70.7")	08C60 IH: 1864mm (73.5") H: 1947mm (76.6")	08C64 IH: 2016mm (79.5") H: 2099mm (82.6")		




08C30

W: 900mm (35.4") D: 470mm (18.5")

IH : Inside Height H: Height

09C20 IH: 610mm (24") H: 693mm (27.3")	09C30 IH: 914mm (36") H: 997mm (39.2")	09C32 IH: 990mm (39") H: 1073mm (42.2")	09C34 IH: 1066mm (42") H: 1149mm (45.2")	09C36 IH: 1142mm (45") H: 1225mm (48.2")
09C60 IH: 1864mm (73.5") H: 1947mm (76.6")	09C64 IH: 2016mm (79.5") H: 2099mm (82.6")			




09C30

W: 1000mm (39.4") D: 470mm (18.5")

IH : Inside Height H: Height

10C20 IH: 610mm (24") H: 693mm (27.3")	10C24 IH: 762mm (30") H: 845mm (33.3")	10C30 IH: 914mm (36") H: 997mm (39.2")	10C32 IH: 990mm (39") H: 1073mm (42.2")	10C34 IH: 1066mm (42") H: 1149mm (45.2")
10C36 IH: 1142mm (45") H: 1225mm (48.2")	10C40 IH: 1218mm (48") H: 1301mm (51.2")	10C43 IH: 1332mm (52.5") H: 1415mm (55.7")	10C47 IH: 1484mm (58.5") H: 1567mm (61.7")	10C50 IH: 1560mm (61.5") H: 1643mm (64.7")
10C54 IH: 1712mm (67.5") H: 1795mm (70.7")	10C60 IH: 1864mm (73.5") H: 1947mm (76.6")	10C64 IH: 2016mm (79.5") H: 2099mm (82.6")		














10C30







Combination Unit Closures

Product Code	Description	Height
E	Flipper 418mm (16.5") high	800mm (31.5")
	Soft close as standard	900mm (35.4")
		1000mm (39.4")
B	Flipper 380mm (15") high	800mm (31.5")
	Soft close as standard	900mm (35.4")
		1000mm (39.4")
M	Flipper 342mm (13.5") high	800mm (31.5")
	Soft close as standard	900mm (35.4")
		1000mm (39.4")
C	Flipper 304mm (12") high	800mm (31.5")
	Soft close as standard	900mm (35.4")
		1000mm (39.4")
G	Drawer 380mm (15") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
O	Drawer 342mm (13.5") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
H	Drawer 304mm (12") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
J	Drawer 267mm (10.5") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
K	Drawer 228mm (9") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
#	Drawer 190mm (7.5") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")

Product Code	Description	Height
L	Drawer 152mm (6") high	800mm (31.5")
	Slotted base for plastic dividers	900mm (35.4")
		1000mm (39.4")
P	LateralFile drawer with two individually locking compartments, 304mm (12") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
Y	Doors, 1218mm (48") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
@	Doors, 1066mm (42") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
X	Doors, 914mm (36") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
S	Doors, 760mm (30") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
W	Doors, 610mm (24") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
N	No closure	N/A
T	Fixed tie bar shelf, 38mm (1.5") high	800mm (31.5")
		900mm (35.4")
		1000mm (39.4")
U	Fixed slotted tie bar shelf, 38mm (1.5") high	800mm (31.5")
	Slotted for plastic dividers	900mm (35.4")
		1000mm (39.4")

Combination Unit Internals

Product Code	Description	Height	
ICCDR6P1PS	CD rack for 152mm (6") drawer (pack of 1)	N/A	 ICCDR6P1PS
ICCDR6P5PS	CD rack for 152mm (6") drawer (pack of 5)	N/A	
ICCDR6P6PS	CD rack for 152mm (6") drawer (pack of 6)	N/A	
ICCDR75P1PS	CD rack for 190.5mm (7.5") drawer (pack of 1)	N/A	
ICCDR75P5PS	CD rack for 190.5mm (7.5") drawer (pack of 5)	N/A	
ICCDR75P6PS	CD rack for 190.5mm (7.5") drawer (pack of 6)	N/A	
IC08LRFPS	Lateral rail for 304mm (12") flipper	800mm (31.5")	 IC08LRFPS
IC09LRFPS	-	900mm (35.4")	
IC10LRFPS	-	1000mm (39.4")	
IC08LRPS	Lateral rail	800mm (31.5")	 IC08LRPS
IC09LRPS	-	900mm (35.4")	
IC10LRPS	-	1000mm (39.4")	
BLFCHAPS	External plastic label holder	N/A	 IC08LRPS
IC08FBPS	File bars (pair) for side to side filing*	800mm (31.5")	
IC09FBPS	-	900mm (35.4")	
IC10FBPS	-	1000mm (39.4")	 IAIFPJ08PS
ICCRPS	Cross rails (pair) for front to back filing	N/A	
IAIFPJ08PS	Back panel for 267mm (10.5") – drawer x 1	800mm (31.5")	
IAIFPJ09PS	-	900mm (35.4")	 IC08DDPPS
IAIFPJ10PS	-	1000mm (39.4")	
IAIFPH08PS	Back panel for 304mm (12") – drawer x 1	800mm (31.5")	
IAIFPH09PS	-	900mm (35.4")	 IACB08P
IAIFPH10PS	-	1000mm (39.4")	
IAIFPG08PS	Back panel for 380mm (15") – drawer x 1	800mm (31.5")	
IAIFPG09PS	-	900mm (35.4")	 IC08BSPS:T5
IAIFPG10PS	-	1000mm (39.4")	
IC08DDPPS	Security drawer divider plate x 1*	800mm (31.5")	
IC09DDPPS	-	900mm (35.4")	 IC08BSPS:T5
IC10DDPPS	-	1000mm (39.4")	
IAD6P3PS	Dividers for 152mm (6") drawers (pack of 3)	N/A	
IACB08PS	Counterbalance - factory fitted option suffix product code with 'Q'	800mm (31.5")	 IC08BSPS:T5
IACB09PS	-	900mm (35.4")	
IACB10PS	-	1000mm (39.4")	
IC08BSPS:T5	Basic shelf – 27.5mm (1") thick	800mm (31.5")	 IC08BSPS:T5
IC09BSPS:T5	-	900mm (35.4")	
IC10BSPS:T5	-	1000mm (39.4")	

Product Code	Description	Width	
IC08BSUPS	Basic shelf with undershelf filing – 27.5mm (1”) thick	800mm (31.5”)	
IC09BSUPS		900mm (35.4”) -	
IC10BSUPS		1000mm (39.4”) -	
IC08NBSPS	Narrow basic shelf (for use behind flipper) – 25mm (1”) thick	800mm (31.5”)	
IC09NBSPS		900mm (35.4”) -	
IC10NBSPS		1000mm (39.4”) -	
IC08CRPS	Shelf with coat rail front to back	800mm (31.5”)	
IC09CRPS		900mm (35.4”) -	
IC10CRPS		1000mm (39.4”) -	
CAPCHP4PS	Captive coat hangers (pack of 4)	N/A	
IC08SSPDPS:T5		800mm (31.5”) Slotted shelf – 27.5mm (1”) thick, slotted for plastic dividers	
IC09SSPDPS:T5		900mm (35.4”) -	
IC10SSPDPS:T5	Slotted shelf with undershelf filing – 27.5mm (1”) thick, slotted for plastic dividers	1000mm (39.4”) -	
IC08SSUPDPS:T5		800mm (31.5”) -	
IC09SSUPDPS:T5		900mm (35.4”) -	
IC10SSUPDPS:T5	Narrow slotted shelf – 25mm (1.0”) thick, slotted for plastic dividers	1000mm (39.4”) -	
IC08NSSPDPS		800mm (31.5”) -	
IC09NSSPDPS		900mm (35.4”) -	
IC10NSSPDPS	drawer dividers (pack of 3)	N/A	MSDIV431P2
MDDIV153P3		N/A	
MSDIV431P2		N/A	
PGNHLESET	Pigeon hole set Plastic (includes dividers and intershelves - for use with slotted shelves only (slotted shelf not included)	N/A	

*Factory fitted only

Specialist

Bookcase Units

D: 300mm (11.8")

Product Code	Description	Width	Height
08BK20	One shelf	800mm (31.5")	693mm (27.3")
08BK30	Two shelves	800mm (31.5")	997mm (39.2")
08BK34	Two shelves	800mm (31.5")	1149mm (45.2")
09BK20	One shelf	900mm (35.4")	693mm (27.3")
09BK30	Two shelves	900mm (35.4")	997mm (39.2")
09BK34	Two shelves	900mm (35.4")	1149mm (45.2")
10BK20	One shelf	1000mm (39.4")	693mm (27.3")
10BK30	Two shelves	1000mm (39.4")	997mm (39.2")
10BK34	Two shelves	1000mm (39.4")	1149mm (45.2")



08BK20




09BK30


Magazine Units

D: 470mm (18.5")

Product Code	Description	Width	Height
08MU20	Two Fixed Sloping Shelves	800mm (31.5")	693mm (27.3")
08MU30	Three Fixed Sloping Shelves	800mm (31.5")	997mm (39.2")
08MU40	Four Fixed Sloping Shelves	800mm (31.5")	1301mm (51.2")
09MU20	Two Fixed Sloping Shelves	900mm (35.4")	693mm (27.3")
09MU30	Three Fixed Sloping Shelves	900mm (35.4")	997mm (39.2")
09MU40	Four Fixed Sloping Shelves	900mm (35.4")	1301mm (51.2")
10MU20	Two Fixed Sloping Shelves	1000mm (39.4")	693mm (27.3")
10MU30	Three Fixed Sloping Shelves	1000mm (39.4")	997mm (39.2")
10MU40	Four Fixed Sloping Shelves	1000mm (39.4")	1301mm (51.2")



08MU20




09MU20

Magazine Seated Units

H: 514mm (21.3") D: 470mm (18.5")

Product Code	Description	Width
MSU08	One fixed sloping shelf, 190.5mm (7.5") drawer	800mm (31.5")
MSU10	One fixed sloping shelf, 190.5mm (7.5") drawer	1000mm (39.4")




MSU08

Product Code	Description	Width
SPAD8047.*XXXXXX	Seat Pad	800mm (31.5")
SPAD1047.*XXXXXX	Seat Pad	1000mm (39.4")

RecycleSpace (Top Access)

W: 800mm (31.5") D: 470mm (18.5")

Product Code	Description	Height
RCY3B08D30	Three bin cupboard (includes a shelf & three bins)	997mm (39.2")
RCY3B08D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
RCY3B08D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")




RCY3B08D30

RecycleSpace (Top Access)

W: 900mm (35.4") D: 470mm (18.5")

Product Code	Description	Height
RCY3B09D30	Three bin cupboard (includes a shelf & three bins)	997mm (39.2")
RCY3B09D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
RCY3B09D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")




RCY3B09D30

RecycleSpace (Top Access)

W: 1000mm (39.4") D: 470mm (18.5")

Product Code	Description	Height
RCY3B10D30	Three bin cupboard (includes a shelf & three bins)	997mm (39.2")
RCY3B10D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
RCY3B10D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")




RCY3B10D30

RecycleSpace (Front Access)

W: 800mm (31.5") D: 470mm (18.5")

Product Code	Description	Height
FRCY3B08D30	Three bin cupboard (includes three bins)	997mm (39.2")
FRCY3B08D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
FRCY3B08D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")




FRCY3B08D30

RecycleSpace (Front Access)

W: 900mm (35.4") D: 470mm (18.5")

Product Code	Description	Height
FRCY3B09D30	Three bin cupboard (includes three bins)	997mm (39.2")
FRCY3B09D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
FRCY3B09D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")




FRCY3B09D30


RecycleSpace (Front Access)

W: 1000mm (39.4") D: 470mm (18.5")


Product Code	Description	Height
FRCY3B10D30	Three bin cupboard (includes three bins)	997mm (39.2")
FRCY3B10D33	Three bin cupboard (includes a shelf & three bins)	1111mm (43.7")
FRCY3B10D34	Three bin cupboard (includes a shelf & three bins)	1149mm (45.2")



FRCY3B10D30



V10CTCPD54



08CTCPD54

Coat Cupboards (with rail and shelf)

D: 600mm (23.6")


V08CTCPD54 H: 1795mm (70.7") W: 800mm (31.5")	V09CTCPD54 H: 1795mm (70.7") W: 900mm (35.4")	V10CTCPD54 H: 1795mm (70.7") W: 1000mm (39.4")	V08CTCPD60 H: 1947mm (76.6") W: 800mm (31.5")	V09CTCPD60 H: 1947mm (76.6") W: 900mm (35.4")	V10CTCPD60 H: 1947mm (76.6") W: 1000mm (39.4")
08CTCPD54 H: 1795mm (70.7") W: 800mm (31.5")	09CTCPD54 H: 1795mm (70.7") W: 900mm (35.4")	10CTCPD54 H: 1795mm (70.7") W: 1000mm (39.4")	08CTCPD60 H: 1947mm (76.6") W: 800mm (31.5")	09CTCPD60 H: 1947mm (76.6") W: 900mm (35.4")	10CTCPD60 H: 1947mm (76.6") W: 1000mm (39.4")

Please note: Coat Cupboard codes beginning with a 'V' = Ventilated doors

Coat Cupboards

D: 600mm (23.6")

Product Code	Description	Width
CTCSH086PS	Basic shelf for coat cupboards	800mm (31.5")
CTCSH096PS	Basic shelf for coat cupboards	900mm (35.4")
CTCSH106PS	Basic shelf for coat cupboards	1000mm (39.4")
BICC08CRSTSPS	Coat rail with shelf	800mm (31.5")
BICC09CRSTSPS	Coat rail with shelf	900mm (35.4")
BICC10CRSTSPS	Coat rail with shelf	1000 (39.4")
CAPCHP4PS	Captive coat hangers (pack of 4)	N/A



BICC08CRSTSPS




Specification Notes

Locking options:

All LateralFile units are listed with AB locks.


AB



For alternative locking options please speak to your Bisley representative.

Finish options:

All LateralFile units are available in the Vision paint palette



Tambour door finish options:

A shutter finish must be specified for tambour units.

For shutter colours please add the relevant below suffixes to the codes listed, for example:

For Light Grey shutters: 08T20.* becomes 08T20.1

- Suffix '**1**' (Light Grey shutters)
- Suffix '**9**' (Dark Grey shutters)
- Suffix '**5**' (Black shutters)
- Suffix '**2**' (Cream shutters)
- Suffix '**EW**' (White shutters)
- Suffix '**BC**' (Beech shutters)
- Suffix '**MP**' (Maple shutters)
- Suffix '**SL**' (Silver shutters)

Additional materials

Seat pads are available in Camira Xtreme

Additional information

Combination units:

When specifying your own LateralFile Combination Unit please allow 38mm (1.5") for fixed tie bar. In units above 1300mm (51.2") a tie bar will automatically be included in the carcass price.

For help specifying the correct code for a Combination Unit please speak to your Bisley representative.

Levelling feet

Adjustable levelling feet are fitted as standard to all LateralFile units. Height is adjustable up to 24mm (1") in total. Except to 718mm (28.3") high two door cupboards and Tambours, which are fitted with adjustable levelling feet that are adjustable up to 8mm (0.3") and are fitted with one fixed shelf with centre partition on bottom half of the unit.

Internal specification

Two door cupboards are supplied empty except for 718mm high cupboards which are supplied with one fixed shelf.

LateralFile bookcase and magazine unit shelves will match the carcass finish.

Please note: 600mm (23.6") deep coat cupboards will be assembled using SystemFile carcass.

All internals are supplied in black except plastic shelf dividers & pigeon hole sets supplied in translucent plastic.

All drawer units have slotted bases and open backs and will include file bars as standard.

Safety warning

It is recommended that all cabinets below 1300mm (51.2") high should be fitted with a counterbalance if any pull out elements are fitted. Pull out elements should only be fitted in the lower half of the cabinets.