


Lottus collection is versatile and organic, taking its cues from the nature. An everevolving piece, it can be sophisticated or playful, restrained or bold. Equally at home in public and intimate environments, it offers design confidence and flair in any context.




Born of design excellence, natural curvature sits comfortably between formality and comfort.



Lottus One chair (ref. 4801) with RAL 7032 polypropylene shell and structure lacquered in RAL 9005.



Lottus One chair (ref. 4801) in monochrome RAL 7032 accompanied by the Lottus table (ref. 4941) with structure and special HPL top in RAL 7032.



On the left: Lottus Two chair (ref. 4818) in monochrome Pantone 1245C with the Punto table.

Lottus Two chair (ref. 4818) fully upholstered in Napoli leather 0500 with RAL 9005 lacquered structure, used with a LTS System table.




Lottus Lottus

The simple line and essence of Lottus adapts beautifully to different spaces.



Lottus One chair (ref. 5500) lacquered in RAL 7032, shell in RAL 7032 polypropylene and pad upholstered in Blazer CUZ47.






As boundaries between work, living and leisure spaces blur, Lottus comfortably bridges the gaps.

On the left: Lottus Kids with lacquered structure and polypropylene shell and pad in customized colors.


Lottus kids in monchrome RAL 7032, combined with table LTS System in oak legs and white HPL top.





Lottus One chair (ref. 4801) in custom monochrome colour.





Lottus' broad range of materials and finishes allows it to be as diverse as our clients.




Lottus One chair (ref. 4800) lacquered and PP shell in RAL 9005 with RAL 7004 pad.

On the left: Lottus Spin chair family with RAL 9005 and Pantone 1245C lacquered structures, upholstered in Hallingdale 190 and 457, and LTS System table.



Lottus confident (ref. 9343) in monochrome RAL 7016 accompanied by LTS System table (ref. 4974) in oak.



A more office-friendly, sturdy wheeled base makes Lottus ideal for workspaces.




Lottus office chair (ref. 5309) in RAL 9005 structure, shell in RAL 7004 PP and pad upholstered in Step 60092. Lottus office chair (ref. 5300) with arms and base lacquered in RAL 9005 and fully upholstered seat.





Lottus 4-legged stool (ref. 4750), shell in RAL 9005 polypropylene, upholstered pad in Fame 66071. Lacquered in RAL 9005.



Lottus stool (ref. 4700) with a structure and PP shell in custom colour and pad upholstered with Lottus table.

On the right: Lottus stool (ref. 4752) in Pantone 7545C monochrome.



Lottus is a complete family of seating solutions, including a bench option, consisting of injected polypropylene, wood or fully upholstered shells with lacquered or chromed metal tube frames. The polypropylene shells can be single-coloured or combined with a polypropylene or upholstered seat panel and are made from resistant and durable materials.

Chair





4 LEGS WING ARMS W 605 H 775 D 525



4 LEGS ALUMINIUM/STEEL ARMCHAIR W 555 H 775 D 525



SLEDGE W 540 H 775 D 525



SLEDGE WING ARMS W 540 H 775 D 525





SPIN WING ARMS W 605 H 775 D 525





SPIN ALUMINIUM ARMS W 605 H 775 D 525



OFFICE CHAIR W 612 H 720-850



OFFICE CHAIR ARMCHAIR W 612 H 790-920





CONFIDENT ARMCHAIR W 560 H 775 D 525



CONFIDENT WITH WHEELS W 500 H 775 D 525



CONFIDENT WITH WHEELS ARMCHAIR W 560 H 775



KIDS CHAIR H 530/570/610 W 440 D 420

Stool



Lottus



MONOFOOT W 500 H1 875 H2 975



Bench



BENCH W 500 H 775 D 516









2/3/4/5 PLACES W 1034/1604/2174 H 775 D 516 2/3/4/5 PLACES W 1395/1965/2535 H 775 D 516

Structure

- Round tube ø16x2mm and ø14x2mm and eliptical tube 32x18x2mm., in cold laminate steel
- Arms and supports in injected aluminium L-2630 UNE 38-263
- Semi-automatically welding in arc robot with gas control and steel strip

BENCH ARMCHAIR W 500 H 775 D 516

Accesories

- Chair

 Transport trolley

 Stackable chair 12 units

 Felt leg pads

 Tablet arm

 Linking device

- Bench
 Laquered Arm
 Table HPL
 Laquered Foot Station
 Floor fixation system

Swivel High chair — Chrome whells


Certificates

Bench
— Satisfactory results in the tests according to UNE-EN 15373:2007, UNE-EN 1335-3:2009, UNE 11012:89, UNE 11013:89 and UNE 11021-2:92 (level 5)



Lottus Wood


Lottus Wood offers
minimalism and flair with
utilitarianism combined
with coziness. Timber
legs and finishes offer a
subdued sophistication
for comfort and warmth
without compromising
on elegance.









Lottus Wood (ref. 4864) with natural birch structure and RAL 9016 polypropylene shell.



Lottus Wood chair (ref. 7364) with natural birch structure and shell.




Lottus Wood Lottus Wood





Lottus Wood chair (ref. 4864), dark tinted birch structure and fully upholstered shell in Fame 61044, with a LTS Sytem table in black tinted oak structure and White HPL top.


Lottus Wood Lottus Wood



Lottus Wood stool family with natural birch structure featuring a shell in RAL 9016 polypropylene (ref. 4791) and a shell in natural birch (ref. 6791).



Lottus Wood Lottus Wood



Tailored upholstery options add colour and comfort.



Lottus Wood stool (ref. 4791) in natural birch structure and fully upholstered shell in Crisp 4411 and 4431.



Lottus Wood is manufactured with environmental parameters, combining an ecological design and wood from sustainable forests and holding all current certificates. The seat shell can also be wood, polypropylene or upholstered in different fabrics.

Chair







Barstool

Lounge chair



Structure


- Board birch or oak veneer sheets. Mechanical joints screw-nut solution
 Footrest stool manufactured in injected aluminum L-2630 UNE 38-263

Certificates

— Satisfactory results in the tests according to UNE-EN 15373:2007 (test level 2)


Lottus Wood







Lottus High

With an elegantly heightened backrest, the Lottus High offers comfort and nobility. Its sleek armrest add a refined usability, creating a utilitarian, versatile chair suited particularly to the contract market.









High Lottus chairs (ref. 6200), in Chrome structure and fully upholstered in Divina Melange 120, 130, 133 and 170.

Amenable in design and character; ideal for contemporary working and learning environments.


Lottus High



Lottus High




An ergonomic side-table option creates a more versatile pice.




Lottus High confident (ref. 9445), lacquered in RAL 9005 and fully upholstered shell in Blazer CUZ28. LTS System (ref. 4973B), in oak legs and white Fenix top.

Lottus High



Lottus High office chair family (ref. 6406) with polished aluminium base and arms, and fully upholstered in Crisp 4202.



Lottus High

Lottus High chairs offer a wide range of possibilities with different models and combinations of finishes. They are made from injected polypropylene shells, upholstered and lacquered or chromed metal tube frames. They are available with three different types of armrests: aluminium armrest, steel armrest and wing-shaped armrest.

Chair

















SPIN WINGARMS W 581,5 H 860 D 525





SPIN ARMCHAIR W 581,5 H 860 D 525





OFFICE W 612 H 815/945



OFFICE ARMCHAIR W 612 H 815/945



CONFIDENT W 470 H 840 D 540



CONFIDENT ARMCHAIR W 500 H 840 D 550



CONFIDENT WITH WHEELS W 560 H 840 D 540





CONFIDENT ARMCHAIR WITH WHEELS W 560 H 840 D 550

Bench







BENCH ARMCHAIR 2/3/4/5 PLACES W 1034/1604/2174/ H 775 D 516



Lottus High

Structure

- Round tube ø16x2mm and eliptical tube 32x18x2mm., in cold laminate steel
 Arms and supports in injected aluminium L-2630 UNE 38-263
 Semi-automatically welding in arc robot with gas control and steel strip
 Arms and supports in injected aluminium L-2630 UNE 38-263
 Semi-automatically welding in arc robot with gas control and steel strip
 Base with 4 polished aluminium or lacquered supports, with either wheels or non-slip tips

Accesories

Chair, Spin and Office Chair

- Transport trolley
 Stackable chair 12 units
 Felt leg pads
 Tablet arm
 Linking device

- Bench

 Transport trolley 6 units.

 Felt leg pads

 Left writing table

 Right writing table

 Linking device

Swivel High Chair

— Chrome whells

Certificates


Lottus High

Bench — Satisfactory results in the tests according to UNE-EN 15373:2007*, UNE-EN 1335-3:2009, UNE 11012:89, UNE 11013:89 and UNE 11021-2:92 (level 5)



Lottus Lounge

The broad, relaxed form of the Lottus Lounge and its range of bespoke and finishing options make it an informal seat of true integrity and comfort, ideal for waiting rooms.






Revolving Lottus Lounge, base in RAL 7004 and upholstered shell in Medley 68002.

On the right: Revolving Lottus Lounge,polished aluminium base and fully upholstered shell in Remix2 123.





Composed, informal curves make Lottus Lounge inviting and intimate.




Lottus Lounge High (ref. 7900) with polished arms and base, fully upholstered in Step Melange 63075, and featuring an Ottoman (ref. 5944).




Lottus Lounge (ref. 5901), lacquered base in RAL 9005, fully upholstered in Napoli leather 2600.

On the right: Lottus Lounge (ref. 5946 and ref. 5901) with alluminiun base pulished fully upholstered in Comfort 0018 and 1012. Used with LTS System.





An auxiliary table arm is perfect for less formal working and meetings.





Lottus Lounge (ref. 5901 and note ref. 5946) lacquered in RAL 9005 and fully upholstered in Blazer CUZ1N and CUZ35.



Lottus Lounge wood (ref. 5964) completely in oak.

On the left: Lottus Lounge wood family (ref. 5964) in natural birch structure and shell, with upholstered pad in Crisp 4603 and featuring a low LTS System table.





The Lottus Lounge comes in two different backrest heights and with a timber four leg base, sled base or swivel star base. They are available in oak or birch plywood, fully upholstered or with an upholstered seat pad.

Lounge Chair











High lounge chair



Structure

- Birch or oak plywood shell, high frequency press formed, with E-1 adhesive
 Round 14x2mm tube in cold laminated steel.
 Semiautomatic arc robot welding with gas controlled steel strip
 Table legs in birch or oak veneer. Mechanical joints with screw/nut solution
 Base with 4 polished aluminium or lacquered supports, with non-slip tips


Accesories


— Felt leg pads



Lottus Conference

The Lottus Conference channels professionalism and flair in a chair with balance and confidence. Minimal and elegant in design, it conceals cuttingedge technology adaptable for optimum comfort and usability.






Lottus Conference (ref. 9064), with polished arms and base, fully upholstered in Crisp 4031.




Lottus Conference Lottus Conference



A sophisticated and functional addition to meeting and conference rooms.



Lottus Conference (ref. 9071), lacquered in Pantone 4975C, fully upholstered in Napoli leather 4280 with LTS System table (ref. 4974) in oak.



Lottus Conference Lottus Conference

The Lottus Conference, with a gas lift and tilt mechanism, comes with a 4- or 5-way castor base or swivel base on glides. It can be fitted with or without arms, upholstered in fabric, leather or vinyl, as well as an oak or birch shell with upholstered seat pad.

Chair















Structure


- -- Arms and supports in injected aluminium L-2630 UNE 38-263
 -- Birch or oak plywood shell, high frequency press formed, with E-1 adhesive
 -- Base with 4 polished aluminium or lacquered supports, with either wheels or non-slip tips



Lottus Tables

Lottus Tables are designed to be uninvasive and compliment the Lottus family of chairs. In varying heights and with different base and table top options, the crisp aesthetic of the range hides engineered durability and functionality.







Lottus AL table (ref. 4947), lacquered structure in RAL 9016 and white HPL top. Lottus High (ref. 6200).

On the left: Lottus chair (ref. 4801) in RAL 7032, used with Lottus table (ref. 4941) with RAL 7032 structure and White HPL top.

Lottus tables Lottus tables



Lottus tables Lottus tables




Lottus table (ref. 4912) lacquered in RAL 7004 and black HPL top.



Lottus AL table (ref. 4947), lacquered en RAL 9016 and white Fenix top.

Lottus tables come in four height options: occasional, standard, café, bar. The post base has a choice of 12 paint colours, while the different sized and shaped tops are available in solid phenolic resin with veneer or laminate surface.



Structure

- Lottus Table

 Column: 60x1.5mm tube in cold laminated steel

 Base: Lacquered steel disc joined to column with semiautomatic arc robot welding with gas controlled steel strip

- Lottus AL Table

 Column: 40x3mm tube in cold laminated steel

 Base with 4 polished aluminium or lacquered supports, with non-slip tips joined to the tube via mechanical joints

Lottus tables