


pinch

Stool



Design

The award winning Pinch stool is a staple in the naughtone range. This truly versatile product offers a comfortable seat whether used at a table, mingled with soft seating or scattered in a space.

Pinch works brilliantly as functional and occasional seating, in public, educational or hospitality spaces.


Technical

Available in a variety of sizes, the Pinch stool is created from a simple, robust wooden frame topped with a thin multi density foam and then an upholstered cover.


It has small plastic glides to protect flooring and the upholstery of the stool.

*All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch.


Sizes



1
PINST
pinch stool
metric (mm)
W550 D350 H500 Seat 450
imperial (in)
W21.5 D14 H19.5 Seat17.5



2
PINLO
pinch low stool
metric (mm)
W600 D450 H400 Seat350
imperial (in)
W23.5 D17.5 H16 Seat14



3
PINBEN
pinch bench
metric (mm)
W1900 D450 H400 Seat 400
imperial (in)
W75 D17.5 H16 Seat 16









Pinch stool technical specifications

Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN 15372:2008**, which includes the following tests:


- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

Pinch stool technical specifications



Product code and description	A Width	B Depth	C Height	D Seat	G Weight
1 PINST Pinch stool	550 mm 21.5 in	350 mm 14 in	500 mm 19.5 in	450 mm 17.5 in	3.5 kg 7.7 lbs
2 PINLO Pinch low stool	600 mm 23.5 in	450 mm 17.5 in	400 mm 16 in	350 mm 14 in	12.8 kg 28.2 lbs
3 PINBEN Pinch bench	1900 mm 75 in	450 mm 17.5 in	400 mm 16 in	400 mm 16 in	36 kg 79.4 lbs

Measuring Guide





Pinch stool environmental product summary




Pinch stool environmental product summary


Material Percentage Split



Post Consumer Recycled Content



Recyclable Content



Product specific design statement

The Pinch stool is available in a range of sizes and finishes but for the purpose of this document we have a specific example from the range:

Pinch stool

The Pinch stools inner frame is constructed from off-cut panels of Oriented strand board which are CNC cut in to flat jig-saw pieces and slotted together to form a rigid internal frame

CMHR foams are fabricated to the frame before it's fully upholstered.

The Pinch stool is supplied in a single piece and has no fixings.

Environment attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **3.5kg** total weight
- **4.9% Recyclable** (foam and feet)
- **87.1% Reusable** (internal frame)
- **21.8% Recycled content** (internal frame and fixings)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards **LEED**, **BREEAM**, **Ska** and **WELL** building certifications

